MUSCLE & NERVE

Official Journal of the American Association of Electrodiagnostic Medicine

AUTHOR INDEX TO VOLUME 29

This index lists, in alphabetical order, the names of authors of all articles and book reviews. Full citation is provided under the first author only, with cross reference to this author made from entries to other authors. Book reviews are distinguished from articles by the letter B after the page number.

A

Aimonetti J-M, see Ribot-Ciscar E
Akbunar M, see Cordato DJ
Akowuah K, see Herrmann DN
Albers JW, Garabrant DH, Schweitzer S, Garrison RP, Richardson RJ, Berent S: Absence of sensory neuropathy among workers with occupational exposure to chlorpyrifos, 677
Alliel PM, see Cifuentes-Diaz C
Al-Shekhlee A, Katirji B: Electrodiagnostic features of acute paralytic poliomyelitis associated with West Nile Virus infection, 376
Amato AA, see Briemberg HR
Andersen PM, see Osei-Lah AD
Angelini C, see Merlini L
Antonutto G, see Pozzo M
Aoki M, see Suzuki N
Argaw A, Desaulniers P, Gardiner PF, Enhanced neuromuscular transmission efficacy in overload rat plantaris muscle, 97
Armstrong T, Devor W, Borschel L, Contreras R: Intracarpal steroid injection is safe and effective for short-term management of carpal tunnel syndrome, 82
Asakura A, see Storbeck CJ
Asano M, see Suzuki N
Asawa T, Shindo M, Momoi H: Compound muscle action potentials during repetitive nerve stimulation, 724
Attarian S, see Ribot-Ciscar E
Auger RG, see Rubin DI
Awiszus F, see Mahlfeld K
Axelrod FB: Familial dysautonomia, 352
Azzena GB, see Vannucchi MG

B

Bach D, see Koopman WJ
Bach FW, see Qerama E
Bacou F, see Lazerges C
Barash IA, see Lieber RL
Baratta RV, see Sbriccoli P
Barr KP, see Rodriquez AA
Barth P, see Rosche B
Başoğlu A, see Tilki HE
Baudet J, see Lim AYT
Beaumont E, Houlé JD, Peterson CA, Gardiner PF: Passive exercise and fetal spinal cord transplant both help to restore motoneuronal properties after spinal cord transection in rats, 234
Bedlack RS, Vu T, Hammans S, Sparr SA, Myers B, Morgenlander J, Hirano M: MNGIE neuropathy: Five cases mimicking chronic inflammatory demyelinating polyneuropathy, 364
Beeson D, see Bonifati DM
Bennett, MJ, see Spiekerkoetter U
Ben-Zeev B, see Spiekerkoetter U
Berent S, see Albers JW
Bertini E, see Merlini L
Best C, see Urban PP
Bierhaus A, see Haslbeck K-M
Bilodeau M, see Williams DM
Bitoun M, see Cifuentes-Diaz C
Blijham PJ, Hengstman GJD, Ter Laak HJ, Van Engelen BGM, Zwarts MJ: Muscle-fiber conduction velocity and electromyography as diagnostic tools in patients with suspected inflammatory myopathy: A prospective study, 46
Boes CJ, see Klein CJ
Boe SG, Stashuk DW, Doherty TJ: Motor unit number estimation by decomposition-enhanced spike-triggered averaging: Control data, test-retest reliability, and contractile level effects, 693
Bonifati DM, Willcox N, Vincent A, Beeson D: Lack of association between acetylcholine receptor ε polymorphisms and early-onset myasthenia gravis, 436
Borschel L, see Armstrong T
Bostock H, see Kuwabara S; Sung J-Y
Briemberg HR, Amato AA: Transthyretin amyloidosis presenting with multifocal demyelinating mononeuropathies, 318
Bromberg MB, Trojaborg W: Motor unit action potential analysis of the paraspinal muscles, 451
Bryant G, see Crameri RM
Burger EL, see Sbriccoli P
Burgunder J-M, see Chen L
Burns SP, see Rodriquez AA
Burns TM, see Cameron CL
Butler JE, Ribot-Ciscar E, Zijdewing I, Thomas CK: Increased blood pressure can reduce fatigue of thenar muscles paralyzed after spinal cord injury, 575
Byblow WD, see Stinear JW

C

Cameron CL, Kang PB, Burns TM, Darras BT, Jones Jr HR: Multifocal slowing of nerve conduction in metachromatic leukodystrophy, 531
Campeau NG, see Klein CJ
Cannas A, see Tacconi P
Carmeli E, Moas M, Rexnick AZ, Coleman R: Matrix metalloproteinases and skeletal muscle: A brief review, 191
Cepok S, see Rosche B
Chambers H, see Lieber RL
Chammas M, see Lazerges C
Chance PF, see Hünermund G
Chan Y-M, see Shi W
Chapin JE, see Klein CJ
Charifi N, see Kadi F
Charles T, see Househam E
Chen L, see Herrmann DN
Chen L, Schaerer M, Lu ZH, Lang D, Joncourt F, Weis J, Fritschi J, Kappeler L, Gallati S, Sigel E, Burgunder J-M: Exon 17 skipping in *CLCN1* leads to recessive myotonia congenita, 670
Chen Z, see Shi W
Childers MK, McDonald KS: Regulatory light chain phosphorylation increases eccentric contraction-induced injury in skinned fast-twitch fibers, 313
Chong PST, Cros DP: Technology literature review: Quantitative sensory testing, 734
Chorneyko K, see Tarnopolsky MA
Cifuentes-Diaz C, Bitoun M, Goudou D, Seddiqi N, Romero N, Rieger F, Perin J-P, Alliel PM: Neuromuscular expression of the BTB/POZ and zinc finger protein myoneurin, 59
Coleman R, see Carmeli E
Colton-Hudson A, see Koopman WJ
Comella CL, Pullman SL: Botilinum toxins in neurological disease, 628

Contreras R, see Armstrong T
Cook M, see Cordato DJ
Cooper P, see Crameri RM
Cordato DJ, Yiannikas C, Stroud J, Halpern J-P, Schwartz RS, Akbunar M, Cook M: Evoked potentials elicited by stimulation of the lateral and anterior femoral cutaneous nerves in meralgia paresthetica, 139
Cornblath DR, see Eggers SDZ
Corsani L, see Vannucchi MG
Cossu G, see Tacconi P
Coulet B, see Lazerges C
Crameri RM, Cooper P, Sinclair PJ, Bryant G, Weston A: Effect of loading during electrical stimulation training in spinal cord injury, 104
Craven BC, see Ditor DS
Cros DP, see Chong PST
Cruccu G, see Romaniello A

D

Dalakas MC: From canine to man: On antibodies, macrophages, and dendritic cells in inflammatory myopathies, 753
D'Ambrosio C, see Perrin C
Daniel K, see Storbeck CJ
Darras BT, see Cameron CL
Daussin P-A, see Lazerges C
Debaix H, see Louis M
De Coninck C, see Lim AYT
de Haan A, van der Vliet MR, Hendriks JJA, Heijnen DAM, Dijkstra CD: Changes in characteristics of rat skeletal muscle after experimental allergic encephalomyelitis, 369
De Lena C, see Romaniello A
Denis C, see Kadi F
Dennis RA, see Dupont-Versteegden EE
Desaulniers P, see Argaw A
Devor W, see Armstrong T
Devries M, see Mahoney DJ
Dieterich M, see Urban PP
Dijkstra CD, see de Haan A
Dillingham TR, Pezzin LE, Rice JB: Electrodiagnostic services in the United States, 198
Di Prampero PE, see Pozzo M
Ditor DS, Hamilton S, Tarnopolsky MA, Green HJ, Craven BC, Parise G, Hicks AL: Na^+, K^+-ATPase concentration and fiber type distribution after spinal cord injury, 38
Doherty TJ, see Boe SG; Tarnopolsky M
Duchateau J, see Guissard N
Dupont-Versteegen EE, Houlé JD, Dennis RA, Zhang J, Knox M, Wagoner G, Peterson CA: Exercise-induced gene expression in soleus muscle is dependent on time after spinal cord injury in rats, 73
Dyck JB, see Klein CJ
Dyck PJ, see Klein CJ

E

Eggers SDZ, Keswani SC, Melli G, Cornblath DR: Clinical and genetic description of a family with Charcot-Marie-Tooth disease type 1B from a transmembrane *MPZ* mutation, 867
Eijnde BO, Lebacq J, Ramaekers M, Hespel P: Effect of muscle creatine content manipulation on contractile properties in mouse muscles, 428
El Andalousi RB, see Lazerges C
Erwin S, see Haslbeck K-M
Estournet B, see Quijano-Roy S

F

Fardeau M, see Quijano-Roy S
Farina D, see Pozzo M
Farina D, Zagari D, Gazzoni M, Merletti R: Reproducibility of muscle-fiber conduction velocity estimates using multichannel surface EMG techniques, 282
Faussone-Pellegrini MS, see Vannucchi MG
Felice KJ, see Whitaker CH
Ferrer I, see Olivé M
Ferrigno P, see Tacconi P
Fiere V, see Streichenberger N
Floeter MK, see Lehky TJ
Fowler CJ, see Podnar S
Francaux M, see Louis M
Franke J, see Mahlfeld K
Franzblau A, see Tong HC
Fritschi J, see Chen L
Fuglsang-Frederiksen A, see Qerama E

G

Galeotti F, see Romaniello A
Gallati S, see Chen L
Gandevia SC, see Todd G
Garabrant DH, see Albers JW
Gardiner PF, see Argaw A; Beaumont E
Garrison RP, see Albers JW
Gazzoni M, see Farina D
Gedes JF, see Heaney D
Gelinas D, see Ng AV
Giagheddu M, see Tacconi P
Gilchrist JM, Sachs GM: Electrodiagnostic studies in the management and prognosis of neuromuscular disorders, 165
Goebel H-H, see Schoser BGH
Gold BG, see Udina E
Gorman RB, see Todd G
Gosselink R, see van't Hul A
Goudou D, see Cifuentes-Diaz C
Greenberg SA: Acquired rippling muscle disease with myasthenia gravis, 143
Green HJ, see Ditor DS
Grem JL, see Lehky TJ
Guicheney P, see Quijano-Roy S
Guissard N, Duchateau J: Effect of static stretch training on neural and mechanical properties of the human plantar-flexor muscles, 248

H

Halpern J-P, see Cordato DJ
Hamilton S, see Ditor DS
Hammans S, see Bedlack RS
Harlaar J, see van't Hul A
Harper CM, see Rubin DI
Harper CM: Intraoperative cranial nerve monitoring, 339
Hashimoto K, see Jinnai K
Haslbeck K-M, Bierhaus A, Erwin S, Kirchner A, Nawroth P, Schlötzer U, Neundörfer B, Heuss D: Receptor for advanced glycation endproduct (RAGE)–mediated nuclear factor-KB activation in vasculitic neuropathy, 853
Hattori T, see Kuwabara S; Sung J-Y
Heaney D, Geddes JF, Nagendren K, Swash M: Sarcoid polyneuropathy responsive to intravenous immunoglobulin, 447
Heijnen DAM, see de Haan A
Hemmer B, see Rosche B
Henderson D, see Herrmann DN
Hendriks JJA, see de Haan A
Hengstman GJD, see Blijham PJ
Hentz JG, see Witt JC
Herrmann DN, McDermott MP, Henderson D, Chen L, Akowuah K, Schifitto G, North East Aids Dementia (NEAD) Consortium: Epidermal nerve fiber density, axonal swellings and QST as predictors of HIV distal sensory neuropathy, 420
Hespel P, see Eijnde BO
Heuss D, see Haslbeck K-M
Hicks AL, see Ditor DS
Hill NS, see Perrin C
Hirano M, see Bedlack RS
Hollander P, see van't Hul A
Hopf HC, see Urban PP
Hoshiyama M, Kakigi R, Tamura Y: Temporal discrimination threshold on various parts of the body, 243
Houlé JD, see Beaumont E; Dupont-Versteegden EE
Housham E, McAuley J, Charles T, Lightfoot T, Swash M: Analysis of force profile during a maximum voluntary isometric contraction task, 401
Hummelsheim H, see Schubert M
Hünermund G, Schirmacher A, Ringelstein B, Young P, Watts GD, Meuleman J, Nelis E, Chance PF, Timmerman V, Stögbauer F, Kuhlenbäumer G: Genomic organization and mutation analysis of three candidate genes for hereditary neuralgic amyotrophy, 601

I

Incesu L, see Tilki HE
Itoh K, see Jinnai K
Itoyama Y, see Suzuki N
Iwase S, see Kondo M

J

Jacobsen M, see Rosche B
Jasmin B, see Storbeck CJ
Jensen TS, see Qerama E
Jinnai K, Nishimoto K, Itoh K, Hashimoto K, Takahashi K: Association of spinal

and bulbar muscular atrophy with myotonic dystrophy type 1, 729
Johns DR, see Tarnopolsky MA
Joncourt F, see Chen L
Jones Jr HR, see Cameron CL

K

Kadi F, Charifi N, Denis C, Lexell J: Satellite cells and myonuclei in young and elderly women and men, 120
Kaji R, see Sung J-Y
Kakigi R, see Hoshiyama M
Kanai K, see Sung J-Y
Kang PB, see Cameron CL
Kappeler L, see Chen L
Kasch H, see Qerama E
Katirji B, see Al-Shekhlee A
Keesey JC: Clinical evaluation and management of myasthenia gravis, 484
Kennedy WR: Opportunities afforded by the study of unmyelinated nerves in skin and other organs, 756
Kent-Braun JA, see Ng AV
Keswani SC, see Eggers SDZ
Kiernan MC, see Krishnan AV
Kirchner A, see Haslbeck K-M
Kitano Y, see Kuwabara S
KleinCJ, Boes CJ, Chapin JE, Lynch CD, Campeau NG, Dyck JB, Dyck PJ: Adult polyglucosan body disease: Case description of an expanding genetic and clinical syndrome, 323
Knox M, see Dupont-Versteegden EE
Koch MC, see Schoser BGH
Kogelnik AM, see Miller TM
Kondo M, Iwase S, Mano T, Kuzuhara S: Direct measurement of human sympathetic nerve conduction velocity, 128
Koopman WJ, Wiebe S, Colton-Hudson A, Moosa T, Smith D, Bach D, Nicolle MW: Prediction of aspiration in myasthenia gravis, 256
Korneluk RG, see Storbeck CJ
Krajewski K, see Li J
Krarup C: Compound sensory action potential in normal and pathological human nerves, 465
Kress W, see Schoser BGH
Kretzschmar E, see Schubert M
Krishnan AV, Lin CS-Y, Kiernan MC: Nerve excitability properties in lower-limb motor axons: Evidence for a length-dependent gradient, 645
Kuhlenbäumer G, see Hünermund G
Kumar VP, see Lim AYT
Kunkel LM, see Shi W
Kuwabara S, see Sung J-Y
Kuwabara S, Bostock H, Ogawara K, Sung J-Y, Misawa S, Kitano Y, Mizobuchi K, Lin CS-Y, Hattor T: Excitability properties of human median axons measured at the motor point, 227
Kuzuhara S, see Kondo M
Kwakkel G, see van't Hul A
Kwon O, Lee K-W: Reproducibility of statistical motor unit number estimates in amyotrophic lateral sclerosis: Comparisons between size- and number-weighted modifications, 211

L

Lang D, see Chen L
Lazerges C, Daussin P-A, Coulet B, El Andalousi RB, Micallef J-P, Chammas M, Reyne Y, Bacou F: Transplantation of primary satellite cells improves properties of reinnervated skeletal muscles, 218
Lebacq J, see Eijnde BO; Louis M
Lee K-W, see Kwon O
Lehky TJ, Leonard GD, Wilson RH, Grem JL, Floeter MK: Oxaliplatin-induced neurotoxicity: Acute hyperexcitability and chronic neuropathy, 387
Leigh PN, see Osei-Lah AD
Leonard GD, see Lehky TJ
Lewis RA, see Li J
Lexell J, see Kadi F
Lieber RL, Steinman S, Barash IA, Chambers H: Structural and funtional changes in spastic skeletal muscle, 615
Lightfoot T, see Househan E
Li J, Krajewski K, Lewis RA, Shy ME: Loss-of-function phenotype of hereditary neuropathy with liability to pressure palsies, 205
Lim AYT, Pereira BP, Kumar VP, De Coninck C, Taki C, Baudet J, Merle M: Intramuscular inervation of upper-limb skeletal muscles, 523
Lin CS-Y, see Krishnan AV; Kuwabara S
Li Y, see Tarnopolsky MA
Lochmüller H, see Schoser BGH
Louis M, Raymackers JM, Debaix H, Lebacq J, Francaux M: Effect of creatine supplementation on skeletal muscle of *mdx* mice, 687
Lowther SA, see Tarnopolsky MA
Lunde J, see Storbeck CJ
Lu Y, see Sbriccoli P
Lu ZH, see Chen L
Lynch CD, see Klein CJ

M

Mahlfeld K, Franke J, Awiszus F: Postcontraction changes of muscle architecture in human quadriceps muscle, 597
Mahoney D, see Tarnopolsky M
Mahoney DJ, Rodriguez C, Devries M, Yasuda N, Tarnopolsky MA: Effects of high-intensity endurance exercise training in the G93A mouse model of amyotrophic lateral sclerosis, 656
Manca D, see Tacconi P
Mancinelli R, see Vannucchi MG
Mano T, see Kondo M
Mantilla CB, Zhan W-Z, Sieck GC: Neurotrophins improve neuromuscular transmission in the adult rat diaphragm, 381
McAuley J, see Househan E
McCormick KM, see McLoon LK
McDermott MP, see Herrmann DN
McDonald KS, see Childers MK
McLoon LK, Rowe J, Wirtschafter J, McCormick KM: Continuous myofiber remodeling in uninjured extraocular myofibers: Myonuclear turnover and evidence for apoptosis, 707
Melli G, see Eggers SDZ
Merle M, see Lim AYT
Merletti R, see Farina D; Pozzo M
Merlini L, Bertini E, Minetti C, Mongini T, Morandi L, Angelini C, Vita G: Motor function–muscle strength relationship in spinal muscular atrophy, 548
Merlo E, see Pozzo M
Meuleman J, see Hünermund G
Meyronet D, see Streichenberger N
Micallef J-P, see Lazerges C
Micklesen PJ, see Shakir A
Miller RG, see Ng AV
Miller TM, Kogelnik AM, Olney RK: Proposed mosification to data analysis for statistical motor unit number estimate, 700
Mills KR, see Osei-Lah AD
Minetti C, see Merlini L
Misawa S, see Kuwabara S
Mizobuchi K, see Kuwabara S
Moas M, see Carmeli E
Momoi H, see Asawa T
Mongini T, see Merlini L
Moore PF, see Pumarola M
Moosa T, see Koopman WJ
Morandi L, see Merlini L
Moreno D, see Olivé M
Morgenlander J, see Bedlack RS
Mori M, see Sung J-Y
Myers B, see Bedlack RS

N

Nagendren K, see Heaney D
Natowicz M, see Whitaker CH
Navarro X, see Udina E
Nawroth P, see Haslbeck K-M
Naylor H, see Tarnopolsky M
Nelis E, see Hünermund G
Neundörfer B, see Haslbeck K-M
Ng AV, Miller RG, Gelinas D, Kent-Braun JA: Functional relationships of central and peripheral muscle alterations in multiple sclerosis, 843
Nicolle MW, see Koopman WJ
Nishimoto K, see Jinnai K
Nodera H, see Sung J-Y
North East Aids Dementia (NEAD) Consortium, see Herrmann DN

O

Ogawara K, see Kuwabara S; Sung J-Y
Olivé M, Unzeta M, Moreno D, Ferrer I: Overexpression of semicarbazide-sensitive amine oxidase in human myopathies, 261
Olney RK, see Miller TM
Onodera Y, see Suzuki N
Osei-Lah AD, Turner MR, Andersen PM, Leigh PN, Mills KR: A novel central motor conduction abnormality in D90A-Homozygous patients with amyotrophic lateral sclerosis, 790

P

Parise G, see Ditor DS
Pellissier J-F, see Streichenberger N
Pereira BP, see Lim AYT
Perin J-P, see Cifuentes-Diaz C
Perrin C, Unterborn JN, D'Ambrosio C, Hill NS: Pulmonary complications of chronic neuromuscular diseases and their management, 5
Peterson CA, see Beaumont E; Dupont-Versteegden EE
Petiot P, see Streichenberger N
Pezzin LE, see Dillingham TR
Piéret F, see Van den Bergh PYK
Podnar S, Fowler CJ: Sphincter electromyography in diagnosis of multiple system atrophy: Technical issues, 151
Pongratz DE, see Schoser BGH
Postmus P, see van't Hul A
Pouget J, see Ribot-Ciscar E
Pozzo M, Merlo E, Farina D, Antonutto G, Merletti R, Di Prampero PE: Muscle-fiber conduction velocity estimated from surface EMG signals during explosive dynamic contractions, 823
Pullman SL, see Comella CL
Pumarola M, Moore PF, Shelton GD: Canine inflammatory myopathy: Analysis of cellular infiltrates, 782

Q

Qerama E, Fuglsang-Frederiksen A, Kasch H, Bach FW, Jensen TS: Evoked pain in the motor endplate region of the brachial biceps muscle: An experimental study, 393
Quijano-Roy S, Renault F, Romero N, Guicheney P, Fardeau M, Estournet B: EMG and nerve conduction studies in children with congenital muscular dystrophy, 292

R

Ramaekers M, see Eijnde BO
Raymackers JM, see Louis M
Reilich P, see Schoser BGH
Renault F, see Quijano-Roy S
Rexnick AZ, see Carmeli E
Reyne Y, see Lazerges C
Ribot-Ciscar E, see Butler JE
Ribot-Ciscar E, Tréfouret S, Aimonetti J-M, Attarian S, Pouget J, Roll J-P: Is muscle spindle proprioceptive function spared in muscular dystrophies? A muscle tendon vibration study, 861
Rice JB, see Dillingham TR
Richardson RJ, see Albers JW
Ricker K, see Schoser BGH
Rieger F, see Cifuentes-Diaz C
Ringelstein B, see Hünermund G
Robinson LR, see Shakir A
Rodriquez AA, Barr KP, Burns SP: Whiplash: Pathophysiology, diagnosis, treatment, and prognosis, 768
Rodriquez C, see Mahoney DJ
Rolke R, see Urban PP
Roll J-P, see Ribot-Ciscar E
Romaniello A, Truini A, Galeotti F, De Lena C, Willer JC, Cruccu G: Cutaneous silent period in hand muscle is evoked by laser stimulation of the palm, but not the hand dorsum, 870
Romero N, see Cifuentes-Diaz C; Quijano-Roy S
Rosche B, Jacobsen M, Cepok S, Barth P, Sommer N, Hemmer B: Myositis in a patient with large granular leukocyte leukemia, 873
Rowe J, see McLoon LK
Roy BD, see Tarnopolsky MA
Rubin DI, Harper CM, Auger RG: Trigeminal nerve repetitive stimulation in myasthenia gravis, 591

S

Sabourin LA, see Storbeck CJ
Sachs GM, see Gilchrist JM
Sandhu JK, see Tarnopolsky MA
Sbriccoli P, Solomonow M, Zhou B-H, Baratta RV, Lu Y, Zhu M-P, Burger EL: Static load magnitude is a risk factor in the development of cumulative low back disorder, 300
Schaerer M, see Chen L
Schifitto G, see Herrmann DN
Schirmacher A, see Hünermund G
Schlötzer U, see Haslbeck K-M
Schneider-Gold C, see Schoser BGH
Schoser BGH, Schneider-Gold C, Kress W, Goebel H-H, Reilich P, Koch MC, Pongratz DE, Toyka KV, Lochmüller H, Ricker K: Muscle pathology in 57 patients with myotonic dystrophy type 2, 275
Schottenfeld J, see Shi W
Schubert M, Kretzschmar E, Waldmann G, Hummelsheim H: Influence of repetitive hand movements on intracortical inhibition, 804
Schwartz RS, see Cordato DJ
Schweitzer S, see Albers JW
Scime A, see Storbeck CJ
Seddiqi N, see Cifuentes-Diaz C
Seror P: Isolated sensory manifestations in neuralgic amyotrophy: Report of eight cases, 134
Seror P: Somatosensory evoked potentials for the electrodiagnosis of meralgia paresthetica, 309
Shakir A, Micklesen PJ, Robinson LR: Which motor nerve conduction study is best in ulnar neuropathy at the elbow?, 585
Shelton GD, see Pumarola M
Shiga Y, see Suzuki N
Shindo M, see Asawa T
Shi W, Chen Z, Schottenfeld J, Stahl RC, Kunkel LM, Chan Y-M: Specific assembly pathway of sarcoglycans is dependent on beta- and delta-sarcoglycan, 409
Shy ME, see Li J
Sieck GC, see Mantilla CB
Sigel E, see Chen L
Sikorska M, see Tarnopolsky MA
Simon DK, see Tarnopolsky MA
Sinclair PJ, see Crameri RM
Smestad C, Monstad P, Lindboe CF, mygland Å: Amyloid myopathy presenting with distal atrophic weakness, 605
Smith D, see Koopman WJ
Solinski M, see Urban PP
Solomonow M, see Sbriccoli P
Sommer N, see Rosche B
Sparr SA, see Bedlack RS
Spiekerkoetter U, Bennett MJ, Ben-Zeev B, Strauss AW, Tein I: Peripheral neuropathy, episodic myoglobinuria, and respiratory failure in deficiency of the mitochondrial trifunctional protein, 66
Stahl RC, see Shi W
Stålberg E, see Tilki HE
Stashuk DW, see Boe SG
Steinman S, see Lieber RL
Stevens JC, see Witt JC
Stinear JW, Byblow WD: Modulation of human cervical premotoneurons during bilateral voluntary contraction of upper-limb muscles, 506
Stögbauer F, see Hünermund G
Storbeck CJ, Daniel K, Zhang Y-H, Lunde J, Scime A, Asakura A, Jasmin B, Korneluk RG, Sabourin LA: Ste20-like kinase SLK displays myofiber type specificity and is involved in C2C12 myoblast differentiation, 553
Strauss AW, see Spiekerkoetter U
Streichenberger N, Meyronet D, Fiere V, Pellissier J-F, Petiot P: Focal myositis associated with S-1 radiculopathy: Report of two cases, 443
Stroud J, see Cordato DJ
Sung J-Y, see Kuwabara S
Sung J-Y, Kuwabara S, Kaji R, Ogawara K, Mori M, Kanai K, Nodera H, Hattori T, Bostock H: Threshold electrotonus in chronic inflammatory demyelinating polyneuropathy: Correlation with clinical profiles, 28
Suzuki N, Aoki M, Takahashi T, Takano D, Asano M, Shiga Y, Onodera Y, Tateyama M, Itoyama Y: Novel dysferlin mutations and characteristic muscle atrophy in late-onset Miyoshi myopathy, 721
Swash M, see Heaney D; Househam E

T

Tacconi P, Manca D, Tamburini G, Ferrigno P, Cossu G, Cannas A, Giagheddu M: Electroneurography index based on nerve conduction study data: Method and findings in control subjects, 89
Takahashi K, see Jinnai K
Takahashi T, see Suzuki N
Takano D, see Suzuki N
Taki C, see Lim AYT
Tamburini G, see Tacconi P
Tamura Y, see Hoshiyama M
Tarnopolsky M, Mahoney D, Thompson T, Naylor H, Doherty TJ: Creatine monohydrate supplementation does not increase muscle strength, lean body

mass, or muscle phosphocreatine in patients with myotonic dystrophy type 1, 51
Tarnopolsky MA, see Ditor DS; Mahoney DJ
Tarnopolsky MA, Simon DK, Roy BD, Chorneyko K, Lowther SA, Johns DR, Sandhu, JK, Li Y, Sikorska M: Attenuation for free radical production and paracrystalline inclusions by creatine supplementation in a patient with a novel cytochrome *b* mutation, 537
Tateyama M, see Suzuki N
Tein I, see Spiekerkoetter U
Ter Laak HJ, see Blijham PJ
Thomas CK, see Butler JE
Thompson T, see Tarnopolsky M
Tilki HE., Stålberg E, Incesu L, Başoğlu A: Bilateral neurogenic thoracic outlet syndrome, 147
Timmerman V, see Hünermund G
Todd G, Gorman RB, Gandevia SC: Measurement and reproducibility of strength and voluntary activation of lower-limb muscles, 834
Tong HC, Werner RA, Franzblau A: Effect of aging on sensory nerve conduction study parameters, 716
Toyka KV, see Schoser BGH
Tréfouret S, see Ribot-Ciscar E
Trojaborg W, see Bromberg MB
Truini A, see Romaniello A
Turner MR, see Osei-Lah AD

U

Udina E, Gold BG, Navarro X: Comparison of continuous and discontinuous FK506 administration on autograft or allograft repair of sciatic nerve resection, 812
Unterborn JN, see Perrin C
Unzeta M, see Olivé M
Urban PP, Solinski M, Best C, Rolke R, Hopf, HC, Dieterich M: Different short-term modulation of cortical motor output to distal and proximal upper-limb muscles during painful sensory nerve stimulation, 663

V

Van den Bergh PYK, Piéret F: Electrodiagnostic criteria for acute and chronic inflammatory demyelinating polyradiculoneuropathy, 565
van der Vliet MR, see de Haan A
Van Engelen BGM, see Blijham PJ
Vannucchi MG, Corsani L, Azzena GB, Faussone-Pellegrini MS, Mancinelli R: Functional activity and expression of inducible nitric oxide synthase (iNOS) in muscle of the isolated distal colon of *mdx* mice, 795
van't Hul A, Harlaar J, Gosselink R, Hollander P, Postmus P, Kwakkel G: Quadriceps muscle endurance in patients with chronic obstructive pulmonary disease, 267
Vincent A, see Bonifati DM
Vita G, see Merlini L
Vu T, see Bedlack RS

W

Wagoner G, see Dupont-Versteegden EE
Waldmann G, see Schubert M
Watts GD, see Hünermund G
Weis J, see Chen L
Werner RA, see Tong HC
Weston A, see Crameri RM
Whitaker CH, Felice KJ, Natowicz M: Biopsy-proven alpha-glucosidase deficiency with normal lymphocyte enzyme activity, 440
Wiebe S, see Koopman WJ
Willcox N, see Bonifati DM
Willer JC, see Romaniello A
Williams DM, Bilodeau M: Assessment of voluntary activation by stimulation of one muscle or two synergistic muscles, 112
Wilson RH, see Lehky TJ
Wirtschafter J, see McLoon LK
Witt JC, Hentz JG, Stevens JC: Carpal tunnel syndrome with normal nerve conduction studies, 515

Y

Yasuda N, see Mahoney DJ
Yiannikas C, see Cordato DJ
Young P, see Hünermund G

Z

Zagari D, see Farina D
Zhang J, see Dupont-Versteegden EE
Zhang Y-H, see Storbeck CJ
Zhan W-Z, see Mantilla CB
Zhou B-H, see Sbriccoli P
Zhu M-P, see Sbriccoli P
Zijdewind, I, see Butler JE
Zwarts MJ, see Blijham PJ

MUSCLE & NERVE

Official Journal of the American Association of Electrodiagnostic Medicine

SUBJECT INDEX TO VOLUME 29

This index gives the first page of the article in which the indexed subject occurs.

A

Acetylcholine receptor, 436, 484
Acute motor axonal neuropathy, 465
Adult polyglucosan body disease, 323
Age-related changes, in nitric oxide synthase, 795
Aging, 120, 716
Allograft, nerve repair by, 812
Alpha-glucosidase deficiency, 440
AMAN, 465
Amplitude, of sensory nerve action potential, 465
Amyloidosis, 605
Amyotrophic lateral sclerosis, 211, 610, 656, 700, 790
Anterior femoral cutaneous evoked potentials, 139
Antibodies, inflammatory myopathy and, 753
Apoptosis, 707
Ascending temporal discrimination threshold, 243
Aspiration, 256
Autograft, nerve repair by, 812
Autoimmune myopathies, 782
Autonomic dysfunction, 330
Axial myopathy in myasthenia, 329
Axonal excitability, 227

B

B cells, 873
Bell's palsy, 165
β-guanidinoproprionic acid, 428
Biomechanics, 615
Blepharospasm, 628
Book Review
EMG Secrets, 880
NINDS at 50: Celebrating 50 Years, 157
Spinal Cord Medicine: Principles and Practice, 456
Botulinum toxin, 628
Brachial biceps muscle, 393
Brachial plexus, 134
Brainstem auditory evoked potentials, 339
BTB/POZ, 59

C

Calcium content, of muscle, 687
Calf enlargement, 443
Canine inflammatory myopathy, 782
Capsaicin, 393
Carpal tunnel release, 82
Carpal tunnel syndrome, 82, 134, 330, 515, 734
Caveolin-3, 143
CD8, 873
Cell therapy, for denervated muscle, 218
Central activation, 843
Centrally nucleated fibers, 687
Central motor drive, 843
Cervical dystonia, 628
Cervical premotoneurons, 506
Cervical rib, 147
Charcot-Marie-Tooth disease, 205
Charcot-Marie-Tooth disease type 1B, 867
Chlorpyrifos, 677
Chronic inflammatory demyelinating polyneuropathy, 28, 165, 465, 565
Chronic obstructive pulmonary disease, 267
CLCN1, 670
Clinical enzymology, 440
CMAP area, 724
Compound muscle action potential, 700
Compound sensory action potential, 465
Compound muscle action potential (CMAP) amplitude, 724
Computed tomography (CT), 721
Computerized assisted sensory examination, 734
Conduction block, 465, 531
Conduction velocity, 89, 585, 823
Congenital muscular dystrophy, 292
Congenital myasthenic syndromes, 436, 484
Contractile properties, 428
C3/4 propriospinal system, 506
Cranial nerve, 339
Creatine, 51, 428, 687
Creatine kinase, 537, 782
Cross-linking, 409
Creatine supplementation, 537
Cutaneous silent period, 870
Cutaneous stimulation, 663
Cybrids, 537
Cytochrome *b* mutaiton, 537
Cytoglobin *(CYGB)*, 601

D

D90A-homozygous, 790
Demyelination, 28, 318, 364, 531
Dendritic cells, 753
Descending temporal discrimination threshold, 243
Desmin-related myopathies, 261
Double-recording technique, 128
Dropped head, 329
Drug-induced neuropathy, 387
Duchenne muscular dystrophy, 687, 795
Dysferlin, 721
Dysphagia, 256

E

Eccentric contraction, 687
Elbow, 585
Electrical stimulation, 104
Electrodiagnosis, 46, 165, 565, 716
Electrodiagnostic services, 198
Electrodiagnostic tests, and aging, 716
Electrodiagnostic tests and prognosis, 165
Electromyographic monitoring, 339
Electromyography, 46, 198, 451, 585
Electroneurography, 89
Electrophysiological evaluation, 878
End-of-life care, 5
Endplate potential, 97
Endurance, 267
Endurance exercise training, 656
Entrapment neuropathy, 82, 165
Epidermal nerve fiber density, 420
Epidermal nerves, 756
Epsilon subunit, 436
Evoked torque, 112
Exercise, 73
Exercise-induced gene expression, 73
Exon 17 skipping, 670
Experimental allergic encephalomyelitis, 369
Explosive contractions, 823
External anal sphincter muscle, 151
Extracellular matrix, 191, 615
Extraocular muscles, 707

F

Familial amyotrophic lateral sclerosis, 790
Familial dysautonomia, 352
Fatigue, 401, 575, 843
Fetal spinal cord tissue, 234
Fiber type distribution, 38

Fiber types, 104
FK506, nerve repair and, 812
Floppy infant syndrome, 292
Focal myosistis, 443
Forced vital capacity, 548
Functional splitting, of muscle, 523

G

Gammopathy, 605
G93A mouse, 656
Gastrointestinal neuropathy, 756
Gender difference, endurance training and, 656
Genetic neuropathy, 867
Genetic study, 729
Glabrous skin, 870
Glycogen branching enzyme deficiency, 323
Glycosylation, 409
Guillain-Barré syndrome, 165, 376, 565

H

Hairy skin, 870
Heat pain, 734
Heat-pain detection threshold, 734
Heat shock proteins, 73
Hemifacial spasm, 628
Hereditary motor and sensory neuropathy, 465
Hereditary neuralgic amyotrphy (HNA), 601
Hereditary neuropathy with liability pressure palsies, 205
Hereditary sensory and autonomic neuropathy, 352
Histopathology, of myotonic dystrophy, 275
HIV-associated distal symmetrical polyneuropathy, 420
Homunculus, 243
Human unmyelinated sympathetic nerve, 128
Hypertonic saline, 393

I

IKBKAP gene, 352
Illusion of movement, 861
Immediate early genes, 73
Immune-mediated diseases, 748
Immunodeficiency, 873
Immunohistochemical, 756, 795
Immunosuppression, 748, 812
Inclusion-body myopathy, 605
Inclusion-body myositis, 261
Inducible nitric oxide synthase, 795
Inflammation, 364
Inflammatory myopathy, 46, 191, 753, 782
Insecticides, 677
Interleukin-6, 853
Intestinal motility, 795
Intracortical inhibition, 804
Intrafusal muscle fibers, 861
Intravenous immunoglobulins, 447, 484
Intraoperative monitoring, 339
Ion channels, 645
Isometric contraction, 112, 401
IVIg therapy, 447, 484

K

K^+ channel, 227
Kennedy's disease, 729

L

Lambert-Eaton myasthenic syndrome, 165
Large granular leukocyte lymphoma, 873
Laser stimulation, 870
Lateral antebrachial cutaneous nerve, 134
Lateral femoral cutaneous evoked potentials, 139
Lateral femoral cutaneous nerve, 139, 309
Limb-girdle muscular dystrophy, 409
Local steroid injection, 82
Low back disorder, 300
Lysosomal storage disease, 440

M

Macrophages, 753
Masseter, 591
Masticatory muscle myositis, 782
Matrix metalloproteinases, 191
Maximal voluntary torque, 834
Maximum voluntary contraction, 401
Mechanical ventilation, 5
Median neuropathy, 515
Membrane localization, 409
Membrane potential, 645
Meralgia paresthetica, 139, 309
Metachromatic leukodystrophy, 531
Metastatic thymoma, 143
Microneurography, 128
Mitochondria, 364
Mitochondrial myopathy, 364, 537
Mitochondrial trifunctional protein, 66
Mitosis, 707
Miyoshi myopathy, 721
Mononeuropathy, 134
Motoneuron properties, 234
Motor control, 506
Motor cortex, 804
Motor endplate potential, 393
Motor evoked potential, 506, 790
Motor funtion, 548
Motor learning, 804
Motor nerve terminal, 227
Motor output, 663
Motor unit action potential, 451
Motor unit number estimation, 211, 693, 700
Motor unit potential, 151
Multichannel delay estimation, 282
Multifocal, 318
Multifocal acquired demyelinating sensory and motor neuropathy, 465
Multifocal slowing, 531
Multiple sclerosis, 369, 843
Multiple-system atrophy, 151
Muscle atrophy, 369
Muscle biopsy, 46, 275
Muscle classification, 523
Muscle-fiber conduction velocity, 46, 282
Muscle fibers, and aging, 120
Muscle fiber type, 428
Muscle hypertrophy, 443
Muscle injury, 191
Muscle innervation, 523
Muscle necrosis, 261
Muscle paralysis, 575
Muscle perfusion pressure, 575
Muscle regeneration, 261
Muscle-specific receptor tyrosine kinase, 484
Muscle spindle, 861
Muscle splitting, 523
Muscle strength, 548, 843
Muscle stretching, 248
Muscle–tendon morphology, 523
Muscle weakness, after experimental allergic encephalomyelitis, 369
Muscular dystrophy, 165, 440, 861
Muscular trigger points, 393
Mutation, of dysferlin gene, 721
Mutation analysis, 601
Myasthenia gravis, 143, 165, 256, 436, 484, 591
Myelin property, 28
Myelin protein zero, 867
Myeloma, 605
Myoblast fusion, 553
Myofibers, 553, 707
Myoglobinuria, 66
Myoneuron, 59
Myonuclei, 120
Myopathy, 5, 66, 165, 440, 605
Myophenolate mofetil, 748
Myosin heavy chain, 275
Myosin light chain kinase, 313
Myositis, 443, 782, 873
Myotonic dystrophy, 51, 275, 729

N

Na^+, K^+-ATPase, 38
Na^+ channel, 227
Near infared spectroscopy, 104
Neck sprain injury, 768
Needle electromyography, 151
Nerve biopsy, 447
Nerve conduction studies, 82, 89, 147, 198, 292, 565, 716
Nerve excitability, 645
Nerve regeneration, 812
Nervous system, 677
Neural control, 615
Neuralgic amyotrophy, 134
Neurodeveopmental disorder, 352
Neurogenic thoracic outlet syndrome, 147
Neuromuscular disease, 5, 51, 165
Neuromuscular hyperexcitablity, 143
Neuromuscular junction, 97, 227, 553
Neuromuscular transmission, 724
Neuromuscular transmission efficacy, 97
Neuromuscular transmission failure, 381
Neuromyotonia, 143, 387
Neuropathic pain, 420
Neuropathy, 318, 447, 677
Neurotoxicity, 387, 677
Neurotrophic factors, 73, 381
Nitric oxide synthase, inducible, 795
NK cells, 873
Nociceptive reflex response, 870
Nonfunctional CIC-1, 670
Noninvasive ventilation, 5
Normal nerve conduction studies, 515
Nuclear factor-kappaB (NF-KB), 853
Nutritional supplement, 51

O

Occupational medicine, 300
Overloaded plantaris, 97
Oxaliplatin, 387
Oxidative stress, 261, 656

P

Paracrystalline inclusions, 537
Paraspinal muscles, 451
Passive exercise, 234
Passive torque, 248
Pennation angle, 597
Peripheral nerve lesions, 878
Peripheral nerves, 89
Peripheral neuropathy, 66, 364
PGP 9.5, 756
Phrenic motoneurons, 381
Physical therapy, 198, 804
PMP22, 205
Point mutaiton, 867
Poliomyelitis, 376
Polymorphism, 436
Polyneuropathy, 89, 165, 531
Postcontraction changes, 597
Potassium channel, 28
Pressure pain detection threshold, 393
Prognosis, of neuromuscular disorders, 165
Proprioception, 861
Propriospinal system, 506
Proximal myotonic myopathy, 275
Pseudofacilitation, 724
Pulmonary complications, 5
Pulmonary complications, amyotrophic lateral sclerosis, 5
Pulmonary complications, motor neuron disease, 5
Pulmonary complications, neuropathies, 5

Q

Quadriceps femoris, 267
Quantatitive EMG, 693
Quantatitive sensory testing, 420, 734

R

Radiculopathy, 165, 443, 451
Range of motion, 248
Receptor for advanced glycosation endproducts (RAGE), 853
Recessive myotonia congenita, 670
Reconstructive surgery, 523
Reflex activities, 248
Regulatory light chain, 313
Reinnervation, 218
Repetitive discharges, 292
Repetitive nerve stimulation, 484, 591, 724
Reproducibility, 211
Respiratory muscles, 5
Rhabdomyolysis, 66
Riley-Day syndrome, 352
Rippling muscle disease, 143

S

Sarcoglycan, 409
Sarcoidosis, 447
Sarcomere, 615
Satellite cells, 120, 218, 707
Sciatic nerve, 812
Semicarbazide-sensitive amine oxidase, 261
Sensory abnormalities, 878
Sensory conduction velocity, 465
Sensory fiber, 465
Sensory mononeuropathy, 134
Sensory nerve action potential, 134, 465
Sensory nerve conduction, 134, 878
Sensory nerve function, 716
Sensory nerve stimulation, 663
Sensory neuropathy, 677
Sensory threshold, 734
Single-fiber electromyography, 484
Skeletal muscle, 38, 104, 218, 267, 693
Skin biopsy, 420
Skin sympathetic nerve activity, 128
Sleep disorders, and pulmonary function, 5
SLK, 553
Small-fiber neuropathies, 420
SNAP, 134, 465
SOD1 mRNA, 610
SOD1 mutation, 790
Soleus muscle, 73
Somatic instability, 729
Somatosensory evoked potentials, 139, 309
Spasticity, 615, 628
Sphincter electromyography, 151
Sphingosine kinase 1 *(SPHK1)*, 601
Spinal and bulbar muscular atrophy, 729
Spinal cord injury, 38, 73, 234, 575
Spinal cord injury, 104
Spinal muscular atrophy, 548
Spine, disorders of, 300
Statistical methods, of motor unit number estimation, 211
Ste20-like kinase, 553
Supraclavicular nerves, 878
Surface electromyography, 282, 823
Surgical monitoring, 339
Sympathetic conduction velocity, 128
Sympathetic skin responses, 330
Synaptic efficacy, 381
Synaptic myonuclei, 59
Synaptic transmission, 97
Synergists, 112
Systemic blood pressure, and fatigue, 575

T

Technology literature review, 734
Temporal dispersion, 465, 531
Temporomandibular disorders, 768
Tetanic tension, 687
TFP deficiency, 66
Thermal sensation, 734
Threshold electrotonus, 28, 645
Threshold tracking, 227
Thymidine phosphorylase, 364
Timed tests, 548
Tissue inhibitor of metalloproteinase 2 *(TIMP2)*, 601
Traumatic nerve injury, 165
Trancranial magnetic stimulation, 506, 663, 790, 804
Transthyretin amyloidosis, 318
Trigeminal nerve, 591
Twitch interpolation, 112

U

Ulnar neuropathy, 585
Ultrasonography, 597
Unmyelinated nerves, 756
Upper motor neuron lesion, 615

V

Vasculitic neuropathy, 853
Vastus Lateralis muscle, 597
Ventilation, and neurotrophins, 381
Vibration, 734
Voluntary activation, 112, 834

W

Western blotting, 795
West Nile Virus, 376
Whiplash, 768
Whiplash-associated disorder, 768
Withdrawal reflex, 663

Z

Zinc finger, 59